Systems and Information for Smart Cities

AMCIS 2014 Savannah, GA August 8, 2014

Ken Geisler Vice President, Strategy Smart Grid Division North America Siemens Infrastructure & Cities Sector



Siemens is a Globally Integrated Technology Company

Global



- Operating in 190 countries
- \$100 billion sales in fiscal 2013
- 362,000 employees
- \$5.7 billion in R&D expenditures
- 29,800 R&D employees
- 290 manufacturing sites

U.S.



- Siemens' largest country market
- \$24.3 billion sales in fiscal 2013
- 53,000 employees
- \$1.4 billion in R&D expenditures
- 6,300 R&D employees
- 130 manufacturing sites

Siemens Business Sectors

Energy	Healthcare	Industry	Infrastructure & Cities
 Divisions Fossil Power Generation Wind Power Solar & Hydro Oil & Gas Energy Service Power Transmission 	 Divisions Imaging & Therapy Systems Clinical Products Diagnostics Customer Solutions 	 Divisions Industry Automation Drive Technologies Customer Services 	 Divisions Rail Systems Mobility and Logistics Low and Medium Voltage Smart Grid Building Technologies

Siemens Infrastructure and Cities Sector

Infrastructure & Cities Dr. R. Busch					
Rail Systems	Mobility and Logistics	Low and Medium Voltage	Smart Grid	Building Technologies	
High Speed and Commuter Rail Metro, Coaches and Light Rail Locomotives and Components Customer Services and Transportation Solutions	Rail Automation Complete Transportation and e-Vehicle Infrastructure Logistics	Low Voltage Medium Voltage	Energy Automation Rail Electrification Services	Building Automation Fire Safety and Security Control Products and Systems	

Siemens Smart Grid Division -

SIEMENS

OT/IT systems for grid operators, utilities, cities and consumers







Modernization For Operational Efficiencies

- Improve reliability and efficiency of T&D grids
- Maximize the use of existing equipment
- Optimize production and transmission
- Enable electricity markets

Cleaner Power


- Connect wind farms and solar panels to the grid
- Improve electric railroad transportation
- Enable large scale infrastructure for electric cars

Responsible Consumption

- Use meter information to analyze consumer behavior
- Use meter information to analyze grid behavior
- Innovate in distributed resource management




Cities and the Energy Grid - Evolution



© Siemens AG 2013 All rights reserved.

Why do energy grids need to change?



Security Concerns & Regulation

7 Million people without power during 2012 Hurricane Sandy and billions in damage



Renewable Energy Adoption

In 2011, renewable sources of energy accounted for about 9.3% of total U.S. energy consumption and 12.7% of electricity generation




Aging Infrastructure & Electrical Loss

Today, in the U.S. power grid: 70% of transformers and 60% of switchgear are over 25 years old



Weather patterns are becoming more extreme, mostly due to climate change.... resilient grids!



 Climate change leads to higher temperatures, rising sea levels and more rainfall


SIEMENS

- Increasing number of extreme weather events
- Increasing urbanization and settlement patterns lead to higher damages
- 2012: US\$ 160 bn damage worldwide (67% in USA)

Figure 1: Number of recorded disasters Source: EMDAT-CRED, Brussels



Why Resilience? USA, New York City 2012



*Federal Emergency Management Administration: 2/3 of storm surge damage exceeded 500 year FEMA demarcation in New York City

- Hurricane Sandy was second costliest in US history
- More than 8 million people without power
- US\$ 50 bn in damage
- NYSE down for two days prior 2 day stretch was in 1888
- 2/3 of storm surge damage exceeded 500 year FEMA* demarcation

Why Resilience?


Disasters hit developed & developing nations

- Hurricane Sandy, 2012: \$50bn in damages, 2nd costliest in US history
- **USA Droughts, 2011 & 2012:** \$28bn in damages
- Japan Tsunami, 2011: \$210bn damages, geopolitical consequences
- UK Winter Snow Storms, 2010/2011: Cost the UK economy \$1.5bn per day, total \$20bn
- Haiti Earthquake, 2010: 220,000 deaths, >300,000 injuries, 1.5m people homeless
- Europe Heat Wave, 2003: 66,720 deaths across Italy, France, Spain, Germany, Portugal


Restricted © Siemens AG 2013 All rights reserved.

Decentralization of energy grid generation and design

From centralized, unidirectional grid ...



... to distributed energy and bidirectional energy balancing




© Siemens AG 2013 All rights reserved.




The State of the Utility Market

Key Challenges identified by sampling of 527 IOU/Muni/Coops




Integrated Resilient Grid Solutions



Page 13

Decentralized Energy-District designs enhance resilience...

- Apply resilience planning as a guiding principle for future infrastructure investments ("Inside-out" distributed design)
- Resilience built on Reliability, Efficiency and Sustainability
- Develop a strategy for prioritizing necessary upgrades, investing in new generation assets and allowing the electrical delivery grid to fail in predictable layers of demand priority






Defining Layers of Infrastructure Criticality


1 Resilience	 Renewable energy sources and other distributed generation enable complete independence from the grid under selected or extreme conditions. Area demand response is able to manage capacity and variation. Infrastructure of Hospitals, Water, Transportation, Military Bases, Public Safety
2 Sustainability	 Distributed renewable and traditional energy sources enable significant energy demand to be met while approaching grid independence. Eco- districts where off-set is green. Area demand response to manage capacity. Airports, rail systems, marine ports, university campuses, etc.
3 Efficiency	 System designed with redundant feed paths and switchable connection points Developed automation, monitoring, and control of feeder equipment Control Center applications for Distribution Management and efficiency
4 Reliability	 Utility reliability measures address outage duration and frequency averages Maintenance and expansion is driven by the current rate structure System design supports an "average" level of reliability for all customers

City infrastructure with sustainable and resilient energy districts






Creating a Plan for Resilient Energy Transformation



City Transformation






Enabling Resilient Cities

Restricted © Siemens AG 2013 All rights reserved.

siemens.com/answer




Security & Physical Protection

Restricted © Siemens AG 2013 All rights reserved.

The Grid Electricity System

m i 🖬

....



Distribution, supply and local generation

۲

Generation

Transmission

Grid Automation (Efficiency) Hawaiian Electric Company, East Oahu, USA




 Automation of 46kV sub-transmission system

- To address overload & reliability issues in East Oahu
- New transformers installed to shift load from north to south corridor
- Automated high-load distribution circuits to feed sections of East Oahu
- Creates intelligent hierarchical control system
- Substations & devices become intelligent agents supervised by the control center, providing robust contingency situations, maintenance switching, fault isolation & restoration

University of Genoa, Savona Italy (Sustainability)

- The Smart Polygeneration Microgrid has been developed for University of Genova, precisely in its campus in Savona. .
- The system is a microgrid (with its own grid) connected to the national grid by a MV connection.
- Although the size (in terms of nominal power) is not huge, the system is complex and there are many generation, storage and load units to be managed.



Storage:

- 1 Electrochemical Energy storage
- 3 thermal storages

Thermal generation

- 2 Boilers
- **1** Electrical Chiller
- **1** Abosrption Chiller
- Cogenerative heat from GTs and **CSPs**

DEMS is a SW tool which is able to optimize the management of electrical and thermal energy flows in a Smart Grid/ Micro grid **Planning Functionalities:**

- Weather, Generation and Load Forecast
- Economically optimized Unit Commitment

Online Functionalities:

- Monitoring of every unit and of the exchange with the grid
- Manual and automatic control of each controllable unit

Possibility to interact with DSO

Possibility to provide primary reserve service

Resilience Revealed by Hurricane Sandy



Co-Op City, Bronx, NYC

SIEMENS

- 14,000 apartments
- 35 high-rise buildings
- 40MW steam turbine generator, plus CHP
- Operates on a micro grid
- Retained power for 60,000 residents

The Transportation Network









Vehicle-to-Infrastructure Communications Houston, Texas, USA



- Pilot project in Harris County, Texas, in response to Hurricane Ike
- Traffic lights & vehicles communicate in real time
- Data from smart phones in vehicles are aggregated to produce real-time estimates of numbers of vehicles on the road, & their speeds
- Data mapped in a database accessible to drivers via smartphone
- During evacuation, allows drivers to choose route with shortest travel time
- Traffic lights can detect emergency vehicles & turn green to facilitate rapid response

Communications-Based Train Control Metro lines - São Paulo, New York, Paris, Beijing




 Railway signaling system using telecommunications between train & track equipment for traffic management

- Position of train known more accurately
- Safer & more efficient way to manage railway traffic
- Enables improved time intervals between trains, & therefore increased passenger capacity on the line
- Technology allows 'driverless trains'
- More energy-efficient than traditional signaling equipment, reducing draw on the grid

Transport Coordination Centre


London 2012 Olympics, UK



 Transport Coordination Centre for the London Olympics 2012

SIEMENS

- Active sharing of information & coordinated responses to incidents
- Multi-modal transport providers &other key stakeholders
- Supported the 2012 Games additional spectator movement, whilst enabling London & the UK to maintain free flow of people
- Estimated passenger time savings due to TCC intervention on a single event at Bank Station, were quantified at £85,538



Real-time Levée Monitoring System Livedijk, Netherlands



- EU Urban Flood project
- Internet-based early warning system issues warnings if there is threat of flood or breaks in dikes

- Sensors buried in dike measure water height/pressure, moisture, temperature
- Data transferred to via internet to connected server
- System evaluates data & issues early warning
- Seasonal & daily weather phenomena are integrated within the evaluation
- Livedijk at Eemshaven is first coastal levée that can be monitored online

Water System Improvement Program (WSIP) San Francisco, USA





- 6 major earthquakes in California the last 100 years
- San Francisco undertaking a \$4.6 billion comprehensive program to upgrade the water system by 2016
- Broad range of projects covering all aspects of the water system – from dams, reservoirs, pipelines, & tunnels to treatment facilities & pump stations
- The aim is to ensure that should a large seismic event occur, the system can remain relatively intact & continue to deliver water to 2.4 million people
- The project includes projects that harden the infrastructure, add redundancy to the system & increase monitoring & automation

Decentralized wastewater treatment manages wastewater flexibly

Shenzhen, China



The Food Chain Reactor (FCR) solution for urban wastewater management combines conventional treatment methods with biological treatment provided by the roots of 2,000-3,000 plant species, thereby treating water to high quality standards.

SIEMENS

- This is a decentralized approach, which manages wastewater on a neighborhood scale using small, odor free facilities
- The decentralized approach helps to avoid the risk of sewer overflows and burst pipes during severe weather



Building Systems

Building Mass Notification Systems coordinate human reactions to hazards

Alberta, Canada



Restricted © Siemens AG 2013 All rights reserved.

Page 34 8/12/2014 Mass Notification Systems (MNS) deliver targeted messages to advise building occupants during a crisis

- Messages are disseminated through multiple redundant channels, including voice systems, LED signage and local area networks
- The system can contact people en masse inside and outside of the building, and directly via personal devices such as cell phones
- Systems inform occupants about what action they should take, therefore coordinating movement to facilitate safe and efficient response

3D simulation of human behavior enables advanced evacuation planning

London, UK



Restricted © Siemens AG 2013 All rights reserved.

 The behavior of building occupants during an emergency can be modeled prior to an event, using advanced 3D simulation software

- The software enables movement through a building or space to be forecast up to ten times faster than real time with relative accuracy, including places where blockages may occur
- This tool improves human preparedness, coordination and response. With a faster than real time reaction, this technology also helps to gain valuable time in a situation where every second counts

Holistic system design secures information flows and communications

Geneva, Switzerland



Restricted © Siemens AG 2013 All rights reserved.

 The Safe Host SA data center in Geneva, Switzerland, incorporates a range of data center infrastructure services that promote service reliability and data security

- Built-in solutions protect against power supply interruptions, security and fire safety threats and ensure that servers operate at the correct temperature to protect customer data from changes in environmental conditions
- Features of the data center include a central management system, over 800 smoke detectors, fire control panels, nitrogen based extinguishing solutions and video surveillance at all major entrances

Page 36 8/12/2014



Metropolitan Security

Restricted © Siemens AG 2013 All rights reserved.

siemens.com/answer

Integrated Operations Center Rio de Janeiro, Brazil



 State-of-the-art intelligent operations center

SIEMENS

- Real-time data feeds monitor weather, traffic, police, medical services
- Operators anticipate problems & take instant action to reduce their impact
- Coordinates 30 municipal & state departments, plus private utility & transportation companies
- Weather & flood forecasting predicts emergencies 2 days ahead
- Alerts distributed direct to mobile phones

Metropolitan security reference Emergency Management Project HELS (<u>Hamburger Einsatzleitsystem</u>)



Facts and figures

1400 incidents/h

450K Police missions p.a.

185K Rescue missions p.a.

95K Patient transport p.a.

30K Fire mission



Challenges

4 public authorities (police, fire brigade, rescue services, patient transport ambulance) should collaborate with only one C&CC-system (first time in GER)

Siemens solutions

Incident Mgmt. System (ELS Web)

HiPath 4000 RTC platform

Cross redundancy through distributed DB (two locations)

Preparation for digital radio communication

Existing individual developed systems have to be replaced

Customer benefits

Improved collaboration between public authorities

Renewal of existing C&CC architecture, optimized coordination flows (i.e. effort plans, authority overlaps for bigger efforts) and cost savings (one system only)

Integration of digital radio communication

Additional redundancy through distributed architecture

Metropolitan security reference Emergency Management Italian Ministry of Defense – Carabinieri Corp

SIEMENS

Facts and figures

Rollout in 73 towns (control centers) 500 central and local offices 2.500 radio localized vehicles 8.000 vehicles for patrol services



Challenges

Modern emergency management scenarios require highly integrated, effective, quick response time solutions to manage emergencies

Siemens solutions

Call Flow Management module for collecting and managing emergency / event data

Real Time Tracking module for keeping in touch with field forces

Geographical Information System (GIS) module for retrieving detailed geographic information

Mobile CC112 module for gathering and for the distribution of information on field

Customer benefits

A single framework to manage every emergency management need

- An encapsulation of the different components to easily focus the customer requirements
- All functionalities integrated in one system to have high "end-user" acceptance

Metropolitan security reference Emergency Management POLYCOM – Swiss National Security Network



Facts and figures

One nation wide TETRAPOL network Based on 26 regional networks More than 50 different organizations More than 50 control centers, 750 base stations, finally 40,000 terminals



Challenges

- Complex network capable of connecting all security organizations in Switzerland for seamless interworking
- Protection of communication against eavesdropping High availability


Siemens solutions

Radio Network Management System (incl. switches e.g.)
Tactical Working Position
Voice Dispatch Systems
Data communication software
Automatic vehicle localization system
Application integration

Customer benefits

Radio Network Management System (incl. switches e.g.) Tactical Working Position Voice Dispatch Systems Data communication software Automatic vehicle localization system Application integration

Community Enabling Technologies



© Siemens AG 2013 All rights reserved.

Systems and Information for Smart Cities

AMCIS 2014 Savannah, GA August 8, 2014

Ken Geisler Vice President, Strategy Smart Grid Division North America Siemens Infrastructure & Cities Sector

